



**48EXPRESS  
STANDARD EQUIPMENT SPECIFICATIONS**

**SPECIFICATIONS**

Length	47'10"
Beam	16'
Draft	4'4"
Fuel Capacity	820 gallons
Displacement	41,000
Freeboard Forward	6'6"
Headroom	6'8"
Water Capacity	120 gallons

**HARDWARE AND OUTFITTING**

Stainless steel 12" cleats- (2) stern,  
(4) amidship, (2) forward  
Stainless steel water-fill deck plate  
Stainless steel line chocks  
Stainless steel 1" rubrail/molding on sheer  
and guards  
Hinged, fiberglass, bow, deck anchor locker hatch  
Three Bomar hatches

**MECHANICAL**

Emergency bilge pump system on both engines  
Quarter-turn sea valves on all bottom  
thru-hull fittings  
12 gallon water heater  
Fiberglass mufflers  
12KW diesel generator with sound shield  
Marine engine alternators  
Engine room vent fans  
DC oil change system, engines, transmissions and generator  
2 ½" stainless steel shafting, Aqua Tech-22  
Automatic fresh water system with pump  
Nibral propellers,  
Waste holding tank system with pumpout  
Automatic shower pumpout  
Main engine start and stop switches  
Port and starboard centralized drainage system  
Fuel filter for main propulsion and generator engines  
Coolant recovery system on main propulsion  
engines  
Stainless steel trim tabs with recessed actuators  
Engine room with high gloss finish  
Dripless shaft and rudder seals

## **CONSTRUCTION/EXTERIOR**

Two-piece seamless construction featuring a DAVIS split hull mold with solid fiberglass bottom, Divinycell cored hull sides, a one-piece reinforced fiberglass super structure with foredeck, helm deck and cockpit forward machine tunnel and lazarette are painted with White Awlgrip  
Lower guardrails and upper shear guards are fiberglass with stainless steel rub rail protective molding  
All exterior cleats are reinforced with solid metal backing plates  
All underwater appendages are bonded.

## **COMMAND BRIDGE DECK**

DAVIS Custom teak helm bubble with single-lever controls, polished stainless steel control handles and steering wheel, neutral lockout and engine synchronizer  
Fuel gauge  
Wrap around seating with hydraulic lift to access storage below vinyl cushions  
Compass with light  
Helm chair  
Engine gauge package  
Exterior handrails  
Sliding companion way door

## **COCKPIT**

Baitwell insulated with seawater circulation pump, starboard side  
Large insulated under deck fishbox with macerator pumpout  
Large, removable under-deck line and fender storage  
Walk-through tuna door with locking latch  
Engine room entrance with draining waterways  
Cockpit drains  
Dockside water inlet with pressure-reducing valve  
Built in backing plate for fighting chair  
Fresh and saltwater wash down systems  
Top-loading freezer (food and bait) Port side  
Built in tackle centers (2)

## **ELECTRICAL**

120/240 VOLT 50 AMP service with cablemaster storage system  
AC/DC main electrical panel with amperage and voltage metering, sliding gate shore/generator selector system magnetic circuit breakers, generator remote and bilge pump control  
24/12 volt flybridge electrical panel for equipment and electronics  
Two battery banks maintained by a fully automatic battery charger  
Battery parallel system  
AC and DC florescent engine room lighting with duplex ground fault receptacle  
Fresh water and fuel tank level gauges  
Internal bonding system with zinc anode protection  
AC and DC lighting in stateroom and salon/galley  
Ground fault protected utility receptacles throughout in head and galley  
CA/TV-phone outlet

## **SAFETY AND NAVIGATION**

Navigation lights  
Automatic bilge pumps in lazarette, engine room  
and forward bilge with high water alarm  
Alarm system for engine systems  
Automatic engine room fire suppression system with manual discharge  
Smoke alarm  
Emergency 1 ½" electric bilge pump in lazarette

## **GALLEY**

Sub Zero undercounter refrigerator/freezer  
Microwave oven  
Stainless steel sink with faucet  
Ceramic 2-burner cooktop, recessed with safety shutoff  
Under counter and over counter storage  
Designer countertops  
Teak and holly wood flooring  
Over counter task lighting  
Vinyl headliner

## **SALON**

Carpeting  
Vinyl headliner  
AC and DC light fixtures  
Sofa with storage beneath  
CD/stereo sound system with TV and DVD  
Air conditioning system with digital control  
Telephone outlet  
High-low dinette table  
Decorative throw pillows

## **MASTER STATEROOM**

Double berth with storage compartment  
and drawers underneath  
Carpeting  
Vinyl headliner  
Vinyl wall coverings  
Foam mattress with bedspread, two pillow shams and pillows  
Cedar-backed hanging lockers with automatic light  
Air conditioning system with digital control  
Upper hull side cabinets  
One decorative throw pillow  
AC and DC light fixtures  
12V stereo/CD player  
TV flat screen

## **MASTER HEAD**

Vinyl headliner  
Vinyl wall covering  
Teak and holly wood flooring  
Designer countertops with sink and faucet  
Toilet with holding tank and level indicator  
Medicine cabinet with mirrored doors

Exhaust fan  
Fiberglass shower stall with safety glass door  
Air conditioning discharge vent  
AC and DC light fixture

## **OPTIONAL EQUIPMENT**

An extensive array of optional equipment is available to customize each DAVIS Sportfishing Yacht to the requirements of its owners. Please see your DAVIS salesperson for a complete listing of optional equipment

## **NOTES TO SPECIFICATIONS & EQUIPMENT**

The company reserves the right to make changes without notice, at any time in equipment, materials, prices, speed, performance and specifications.

Orders requesting any material and/or equipment which differs from that selected by Davis as standard or optional for this model will be considered a custom change and will require additional charges. Once production begins, the addition of option (not standard) equipment may require additional charges due to non-standard installation requirements and/or lead times. In order to show equipment size and location, line drawings and photos may show some optional equipment.

Capacities of tanks are estimates. Useable volume varies depending upon condition and circumstances.

Generator is not intended to supply power for all standard and optional accessories. Load must be limited to generator output rating.

Standard bottom paint color is blue

Weight calculated is with fuel, water and holding tanks full.

Additional charge for custom work.

**FOR ADDITIONAL INFORMATION CONTACT US AT:**

Davis Yachts

PO Box 702

Egg Harbor City, NJ 08215

609-965-3877

[www.buddydavis.com](http://www.buddydavis.com)

